Product Information



Ceypetco Platineum SAE 0W-20

Description

Ceypetco Platineum SAE 0W-20 is the latest series of advanced and new generation of fully synthetic motor oil that is specially formulated for those who demand the absolute best and ultimate in motor oil lubrication technology. It is engineered with premium synthetic base fluids and advanced additive systems to provide improved fuel economy, increased emission control system durability and protection against deposit and sludge formation while ensuring excellent wear protection to critical engine parts.

Applications

Ceypetco Platineum SAE 0W-20 is highly recommended for all types of passenger cars especially current and future model high performance cars fitted with emission control device, fuel injection, turbocharger, supercharger and multi-valve engine fueled by gasoline, diesel, LPG and Flexible Fuel Vehicles (FFV). Also suitable for engine requiring API SM, SL, SJ and below performance levels.

Features and Benefits

- Optimize and boost engine power output to provide better engine response and acceleration.
- Ultimate engine wear protection and performance even at extreme driving conditions.
- Excellent piston deposit control and exceptional cleanliness of critical engine parts to maximize engine performance.
- Excellent fuel economy benefits

Typical Characteristics

PROPERTIES	METHOD	SAE Grade
		0W-20
Appearance	Visual	B & C
Density at 15°C, Kg/L	ASTM D4052	0.8407
Flash Point, ^o C	ASTM D92	>210
Pour Point, ^o C	ASTM D97	-40
Viscosity at 40°C, cSt	ASTM D7052	41.5
Viscosity at 100°C, cSt	ASTM D7052	8.5
Viscosity Index	ASTM D2270	189
Total Base Number, mgKOH/g	ASTM D2896	8.0

Performance:

- API SN
- ILSAC GF -5

1 Rev: 28/10/2025



Product Information

Health, Safety and Environment

Based on available information, this product is not expected to produce adverse effects on health when used for applications referred to above and the recommendations provided in the Safety Data Sheet (SDS) are followed. SDS's are available upon request through your sales contact office. This product should not be used for purpose other than the applications referred to above. If disposing of used product, take care to protect the environment, follow the local rules and regulations of your local Authority.

Note:

All information supplied by or on behalf of Hyrax Oil in relation to its products, whether in the nature of data, recommendations or otherwise, is supported by rigorous laboratory work and research and believed to be reliable.

Typical test data are average values only. Minor variations to typical properties not affecting the performance of the product are to be expected in normal manufacturing circumstances.

2 Rev: 28/10/2025