

## Ceypetco – Coolant (Red)

### Description

**Ceypetco Coolant (Red)** is a specially formulated based on ethylene glycol oil free anti-corrosion additive for the cooling system of all types of vehicles and stationary combustion engines which are operated in frost-free climates. It contains corrosion inhibitor based on organic and inorganic acids and non-ferrous metal deactivators. With anti-rust and corrosion inhibitors coupled with its low silicate concentration, this coolant is suitable for use in aluminum radiators of most OEMs.

### Features and Benefits

- Excellent heat transfer properties
- Excellent anti-foam properties
- Low silicate content
- Pre-diluted product is ready to be used and required no mixing for topping up and initial fill.

### Applications

**Ceypetco Coolant (Red)** is pre-diluted with 50% of deionized water making it suitable for use in both automotive and industrial heavy duty diesel engines where an anti-freeze or coolant is required to provide protection against freezing, boil over and corrosion.

### Typical Characteristics

Properties	Method	Coolant (Red)
Appearance at 20 °C	Visual	Clear and Free from sediment
Color	Visual	Green
Hard Water Compatibility	Visual	Complies
Relative Density at 20°C g/cm <sup>3</sup>	ASTM D1122	1.110- 1.145
pH Value	ASTM D1287	7.1- 7.3
Reserved Alkalinity, 0.1 N HCl, ml	ASTM D1121	Report
Boiling Point, °C	ASTM D1120	108

### Performance

- ASTM D 3306 for automotive service
- ASTM D 4985 for heavy duty diesel service

## Health, Safety and Environment

Based on available information, this product is not expected to produce adverse effects on health when used for applications referred to above and the recommendations provided in the Safety Data Sheet (SDS) are followed. SDS's are available upon request through your sales contact office. This product should not be used for purpose other than the applications referred to above. If disposing of used product, take care to protect the environment, follow the local rules and regulations of your local Authority.

### **Note:**

All information supplied by or on behalf of Hyrax Oil in relation to its products, whether in the nature of data, recommendations or otherwise, is supported by rigorous laboratory work and research and believed to be reliable.

Typical test data are average values only. Minor variations to typical properties not affecting the performance of the product are to be expected in normal manufacturing circumstances.