



CEYLON PETROLEUM CORPORATION

***FABRICATION, TRANSPORT & INSTALLATION OF
HORDING BOARDS IN CPC OUTLETS ISLANDWIDE***

B/12/2026

BIDDING DOCUMENT

2026

CEYLON PETROLEUM CORPORATION

Bid for the Contract “Fabrication, Transport & Installation of Hording Boards in CPC Outlets Islandwide”

Invitation to Bid

B/12/2026

Ceylon Petroleum Corporation (CPC) at No. 609, Dr. Danister De Silva Mawatha, Colombo 09, Sri Lanka, will receive sealed Bids for the contract “Fabrication, Transport & Installation of Hording Boards in CPC Outlets Islandwide” from interested bidders who have past experience in similar work.

Failure to furnish documents requested in this document may result in the Bid being rejected.

CONTENTS

Table of Contents

1. INSTRUCTIONS TO BIDDERS (ITB)	1
1.1 Introduction	1
1.2 Content of the Bidding Document	1
1.3 Documents to accompany the Bid	1
1.4 Sealing and marking of Bids	2
1.5 Period of validity of Bids	2
1.6 Signing of Bids	2
1.7 Clarification of Bidding Document	2
1.8 Deadline for Submission of Bids	3
1.9 Late Bids	3
1.10. Withdrawal of Bids	3
1.11 Closing of Bids	3
1.12. Opening of Bids by CPC	3
1.13 Agent’s Authority	3
1.14. Bid Security Guarantee	3
1.15. Schedule of Prices	4
1.16. Preliminary Examination of Bids	4
1.17. Correction of Errors	4
1.18. Evaluation of Bids	5
1.19. CPC’s right to accept or reject any or all Bids	5
1.20. Notice of Acceptance	5
1.21. Award Criteria	5
2. CONDITIONS OF CONTRACT (COC)	6
2.1 Performance Security	6
2.2 Mode of Payment	6
2.3 Project Completion	6
2.4 Defaults by Successful Bidder	6
2.5 Liquidated Damages	7
2.6 Force Majeure	7
2.7 Arbitration	7
2.8 Termination	7
2.9 Particular Conditions of Contract	7

3. TECHNICAL SPECIFICATION.....	9-11
4. BILL OF QUANTITIES.....	12-18
Form of Bid	19-20
Format for Bid Security Guarantee	21
Form of Agreement	22-23
Format for Performance Guarantee	24

INVITATION FOR BIDS (IFB)

Ceylon Petroleum Corporation (Ministry of Energy)

“Fabrication, Transport & Installation of Hording Boards in CPC Outlets Islandwide”

B/12/2026

*The Departmental Procurement Committee of Ceylon Petroleum Corporation invites National Competitive Bids from eligible bidders for the “**Fabrication, Transport & Installation of Hording Boards in CPC Outlets Islandwide**”.*

*Bidding Documents may be obtained on working days between **0900 hrs and 1500 hrs, up to 24.03.2026**, from the office of the Manager (Procurement & Stores), Ceylon Petroleum Corporation, 1st Floor, No. 609, Dr. Danister De Silva Mawatha, Colombo 09, upon submission of a written request and payment of a non-refundable fee of Rs. 5,000.00 (Rs. 4,133.94 + 2.5% SSCL + 18% VAT) per set. Alternatively, documents may be downloaded from the CPC website at <http://ceypetco.gov.lk/public-tenders/>. Bidders who download the documents must deposit the required fee into Account No. 004100110208633, Ceylon Petroleum Corporation, People’s Bank (Head Office), and submit the payment receipt together with the Bid.*

*The bid will be closed at **1400 hrs on 25.03.2026** and opened at the office of Manager (Procurement & Stores), at the above address, immediately after closing time of the Bid. Bidders or their authorized representative will be permitted to be present at the opening of Bid. As per the Public Contract Act No. 3 of 1987, the Prospective Bidders shall be registered in Department of Registrar of Companies through <https://eroc.drc.gov.lk/> website and submit PCA 3 certificate along with their Proposal.*

Bids should be accompanied by a Bid Security amounts to Rs. 275,000.00.

*Chairman,
Departmental Procurement Committee,
C/o Manager (Procurement & Stores),
Procurement & Stores Function,
Ceylon Petroleum Corporation,
1st Floor, No. 609, Dr. Danister De Silva Mawatha,
Colombo 09.
Tele : 011-7296336 Fax : 011-2106769*

1. INSTRUCTIONS TO BIDDERS

1.1 Introduction

Ceylon Petroleum Corporation (CPC) is calling Bids from contractors who have past experiences in similar work for the contract “Fabrication, Transport & Installation of Hording Boards in CPC Outlets Islandwide”.

Eligibility Criteria

- Bidder shall not have been blacklisted
- Bidder shall have successfully completed previous contracts of similar nature at least having contract values of Rs. 20.0 million for past 03 years (2025,2024,2023)

1.2 Content of the Bidding Documents

Bidding Document will consist of the followings ;

- 1.2.1 Instructions to Bidders (ITB)
- 1.2.2 Conditions of Contract (COC)
- 1.2.3 Technical Specifications
- 1.2.4 Bill of Quantities
- 1.2.5 Form of Bid
- 1.2.6 Format of Bid Security Guarantee
- 1.2.7 Form of Agreement
- 1.2.8 Format of Performance Guarantee

1.3 Documents to accompany the Bid

All Bidders shall furnish adequate information in respect of the items offered.

Failure to furnish the following documents and details, with the bid may result in the Bid being rejected. All documents shall be furnished in English language.

- 1.3.1 Supplier should provide manufactures specifications together with a guarantee for a period of 10 years .
- 1.3.2 Past performance - Bidder should furnish previous experience on this type of job with necessary details for the consideration in evaluation with the tender. A list of construction during last 12 months also to be submitted.
- 1.3.3 Schedule of Prices duly completed and signed.
- 1.3.4 Form of Bid (Annex A) duly completed and signed.
- 1.3.5 Bid Security
- 1.3.6 Manufacture authorization letter/business registration

1.4 Sealing and marking of Bids

Bids shall be submitted in duplicates. The original and the duplicate of the Bid shall be placed in separate envelopes marked 'ORIGINAL' and 'DUPLICATE' and shall be marked "**BID FOR THE Fabrication, Transport & Installation of Hording Boards in CPC Outlets Islandwide**" on the top left hand corner and the statement, "DO NOT OPEN BEFORE **1400 hrs on 25.03.2026** (to be completed with the time and date specified in the Bidding Document and shall be addressed to;

Manager (Procurement & Stores),
Procurement & Stores Function,
1st Floor,
No. 609, Dr. Danister De Silva Mawatha,
Colombo 09.
Sri Lanka.

If the envelope is not sealed and marked as stated above, CPC will not take the responsibility for the Bids being misplaced or premature opening. In the event of any discrepancy between the Original and the Duplicate, the Original shall govern.

1.5 Period of validity of Bids

All bids shall be valid for a **minimum period of Ninety One (91) days (i.e. upto 23.06.2026)** from the closing date of the Bid. **A Bid valid for a shorter period will be rejected as non-responsive.**

1.6 Signing of Bids

The Original and the Duplicate of the Bid shall be typed, or written in indelible ink, and shall be signed by the Bidder. **All pages of the Bid except for un-amended printed literature shall be initialed by the person(s) signing the Bid.**

Any inter lineation, erasures or over-writing shall be valid only if they are initialled by the person(s) signing the Bid.

1.7 Clarification of Bidding Document

A prospective Bidder requiring any clarification of the Bidding Document should notify CPC in writing by hand or post or facsimile at the CPC's mailing address indicated in the Bidding Document clause 1.4. Similarly if a Bidder feels that any important provision is unacceptable, such objection should be raised at this stage. CPC will respond in writing to any request for clarification or modification of the Bidding Document that is received not later than Seven (07) days prior to the deadline of submission of Bids prescribed by the CPC.

1.8 Deadline for submission of Bids

CPC must receive Bids at the address specified in ITB Clause 1.4, not later than **1400 hrs. on 25.03.2026.**

1.9 Late Bids

Any Bid received by CPC after the deadline for submission of Bids, will be rejected and returned unopened to the Bidder.

1.10 Withdrawal of Bids

A Bidder wishing to withdraw his Bid shall notify the CPC in writing prior to the deadline prescribed for the submission of Bids. A withdrawal notice may also be sent by Facsimile, but must be followed by the original, by post or by hand not later than the deadline for submission of Bids. The notice of withdrawal shall be sent to the Manager (Procurement & Stores), which the address is given in Clause No.1.4.

1.11 Closing of Bids

Bids shall be closed at **1400 hrs on 25.03.2026** and hence bids shall be reached to the address given in clause no. 1.4 before the time and date specified in clause no. 1.8.

1.12 Opening of Bids by CPC

Bids will be opened immediately after the closing date and time fixed for receipt of Bids. The address where bids are opened is given in clause 1.4.

1.13 Agent's Authority :

An Accredited Agent of the manufacture signing the Bidding Document on behalf of the Principal shall state the Principal's name and address, telephone number and fax number, (if any) and a letter of Authority empowering the agent.

Nomination of an Agent after the Bid has been submitted will not be valid.

1.14 Bid Security Guarantee

Each Bid shall be accompanied by a Bid Security Guarantee, (if requested) undertaking that the bid will be held valid for the specified period, and that the bid will not be withdrawn during that period. Such security shall be in the form of a Bank Draft or a Bank Guarantee issued / confirmed by a recognized Bank in Sri Lanka, and payable to the CPC on demand in a sum of **Rs. 275,000.00**. The Bid Security Guarantee should be valid for Hundred & Nineteen (119) days (**i.e. up to 21.07.2026**) from the date of closing of Bid. A form of Bid Security Guarantee is attached in Annex "B".

Failure to submit the Bid Security Guarantee at the time, or before the closing of Bid, and in accordance with above said requirements, and in the format provided, will result in the Bid being rejected. Bid Security Guarantee from unsuccessful Bidders will be returned to them after the award is made to the successful Bidder. The Bid Security of the successful Bidder will be returned only after receipt of the **Performance Security Guarantee**.

1.15 Schedule of Prices

Bidders are required to duly sign and return the "Schedule of Prices" as indicated in the bidding document.

1.16 Preliminary Examination of Bids

CPC will examine the Bids to determine whether they are complete, any computational errors have been made, whether the documents have been properly signed, and the Bids are generally in order. If not, CPC may at its discretion call clarifications from the Bidder. The request for clarification and the response shall be in writing within one week's form the clarifications and no change in the price or substance of the Bid shall be sought, offered or permitted.

1.17. Correction of Errors

Bids determined to be substantially responsive will be checked by the CPC for any arithmetic error. Errors will be corrected by the CPC in the following manner;

- 1.17.1 Where there is a discrepancy between the amounts in figures and in words, the amount in words will govern; and
- 1.17.2 Where there is a discrepancy between the unit rate and the line item total resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern, unless there is an obviously gross misplacement of the decimal point in the unit rate, in which case the line item total as quoted will govern, and the unit rate will be corrected.
- 1.17.3 If the total bid price increases due to corrections made on above procedure, the bid price shall not be adjusted to the increased price and the corrections should be readjusted within the bid price in consultation with the bidder.
- 1.17.4 If the bid price decreases by the above procedure, the amount stated in the Form of Bid shall be adjusted with the concurrence of the bidder and shall be considered as binding upon the bidder.
- 1.17.5 If the bidder does not accept the corrected amount of bid, its bid shall be rejected and the bid security may be forfeited.

1.18 Evaluation of Bids:

CPC will carry out a detailed evaluation of Bids, to determine whether the Technical aspects are properly addressed, and the Bids are substantially responsive.

1.19 CPC's right to accept or reject any or all Bids

The CPC will not be bound to make the award to the Bidder submitting the lowest offer.

The CPC reserves the right to reject any or all Bids or any part thereof, without assigning any reasons. The CPC may accept any or all items of an bid, and reserves the right to increase or decrease the number of units to be contracted for, at prices indicated in the Schedule of Prices.

1.20 Notice of Acceptance

The notice of acceptance of Bid will be sent by facsimile, followed by post to the successful Bidder, to the address given by him in the Bidding Document, soon after the decision of the CPC.

1.21 Award Criteria

1.21.1 Subject to ITB Clause 1.18, the CPC will award the contract to the successful Bidder, whose Bid has been determined to be substantially responsive, lowest evaluated Bid, provided that the Bidder is determined to be qualified to perform the contract satisfactorily.

1.21.2 The successful Bidder will be called upon to supply or part there off conforming to Technical Specifications, and strictly by the agreed date of completion.

1.21.3 If the Successful bidder is called upon to enter in to an Agreement with CPC, the bidder should be ready to sign an agreement with CPC.

2. CONDITIONS OF CONTRACT (COC)

2.1 Performance Security:

If it is applicable, the successful Bidder will be notified by CPC to furnish a Performance Guarantee. This guarantee shall be submitted on his owned cost and within fourteen (14) days of such notification through / confirmed by a reputed Commercial Bank in operation in Sri Lanka, for a sum equivalent to 10% of the total Bid value of the accepted Bid. The Performance Security shall be complied to the format given in Annex C. The period of validity of this performance security shall be the expected period of delivery of goods/equipment plus one month. (i.e. period of the contract plus one month)

If the successful Bidder fails to furnish the Performance Security aforesaid, his name will be placed in the list of defaulting Contractors. CPC shall therefore, be entitled in its absolute discretion to make suitable arrangements required for the performance of such Bid, as the case may be, at the risk and expense of the successful Bidder.

The successful Bidder, in the event of his failure to furnish the Performance Security as required, shall be liable for any losses, costs expenses and damages, which the CPC may sustain in consequence of such failure, and the Bid security shall be forfeited.

2.2 Mode of Payment

Payments will be done within a period of thirty (30) days from the date of submission of invoice after the successful installing and handing over.

2.3 Completion of the Contract

Period of completion shall be **three (03) months** from the date of confirmation of the order.

2.4 Defaults by Successful Bidder

If the successful Bidder, defaults in the supply or otherwise commit a breach of any of the provisions in the Contract with CPC, he shall be liable to pay to CPC, all losses, damages and expenses incurred by CPC, in consequence of such default or breach. Bidders should declare that they had read the Bid conditions, and that they make the offer in compliance with, and subject to all the conditions thereof, and agree to perform the services in accordance with the said conditions in the manner therein set out, and in terms of this offer. A Form of Bid, as Annex- 'A' is attached.

2.5 Liquidated Damages

Liquidated Damages amounts to Rs. 1/2000 of the contract value will be levied per each day delayed beyond the period of delivery specified in the contract up to the maximum of 10%.

2.6 Force Majeure:

Except as regards an act of God, War, Strike, Invasion, Civil war, Rebellion Revolution, Insurrection, Earthquake or Plagues, the Bidder shall undertake all risks and liabilities of whatsoever kind arising out of incidentals connected with the sale.

2.7 Arbitration.

If during the continuance of this Contract or at any time after the termination thereof, any disputes or differences of opinion touching the interpretation of this contract were to arise between the parties hereto or their respective representatives, such differences or disputes shall be referred for Arbitration.

Arbitration shall be conducted under the rules of ICLP (Institute of the Development of Commercial Law & Practice), Arbitration Centre and in accordance with the arbitration Act No. 11 of 1995 of Sri Lanka. The place of Arbitration shall be Colombo, Sri Lanka.

2.8 Termination

CPC may at any time terminate the contract by giving written notice to the contractor, if the Contractor breach of any of the provisions in the contract with CPC for the providing of the said professional service or becomes bankrupt or otherwise insolvent. In this event, termination will be done without compensation to the Contractor, provided that such termination will not prejudice or effect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

2.9 Particular Conditions of Contract

- 2.9.1 This work includes Shop drawings to should be done by the contractor to the art work provided by CPC and the approval should be obtained from the CPC prior to fabrication.
- 2.9.2 The rate shall include for transport, scaffolding etc for each location required for the work In addition to this BOQ.
- 2.9.3 The sample will be checked by the CPC officers/Engineer and the required amendments to be done accordingly (free of charge) by the contractor.

2.9.4 Supply , fabrication , Transport and install of hoarding board of size 3000mmx6000mm using steel hollow box sections 25mmx25mmx2.3mm around to frame with two horizontal supports fix at equal interval and vertical supports of hollow box sections 25mmx25mmx2.3mm of every 1.0m centres and fix to 02 Nos 126mmx76mm 13(kg/m)universal columns as per detail drawing . Hording surface to be covered with high quality printed flex . Rate shall include for 2/ 8 Nos 25mm anchor bolts , 2/12mm base plate , Excavation , back filling , concreting , reinforcement and formwork etc. As per detail sketch No CEYPET /SK/0023

3. TECHNICAL SPECIFICATIONS

FLEX SURFACE PRINTING

(Outdoor Hoardings – Island-wide Deployment)

1. Scope

Supply, digital printing, finishing, and installation of outdoor-grade flex surfaces for steel hoardings installed island-wide in Sri Lanka.

2. Hoarding Sizes Covered

- 20 feet × 10 feet
- 30 feet × 10 feet

3. Flex Material Requirements

- Type: Premium Front-lit PVC Flex
- Minimum Thickness: **440 GSM**
- Preferred Thickness: **510 GSM**
- Base Fabric: High-tensile polyester
- Finish: Smooth, uniform white
- Tear Resistance: Suitable for high wind load

4. Printing Requirements

- Printing Technology: Eco-solvent / Latex / UV
- Resolution: Minimum 720 DPI (Preferred 1440 DPI)
- Ink Type: Outdoor UV-resistant ink
- Colour Output: Uniform, non-patchy, no banding

5. Colour & Weather Durability

- UV resistance: Minimum 24–36 months
- Resistant to rain, humidity, heat, and dust
- Shrinkage: Less than 1%
- Optional UV lamination recommended for highways and coastal areas

6. Paneling & Jointing

- Single-piece flex preferred
- If jointed: heat-welded seams only
- Overlap pasting strictly prohibited
- Seam strength must match base material

7. Eyelets & Edge Reinforcement

- Edge reinforcement: Heat-sealed
- Eyelets: Aluminum or brass (rust-proof)
- Spacing: Every 300 mm (12 inches)
- Reinforced edge margin: 40–50 mm

8. Fixing Method

- Nylon rope or PVC-coated GI wire
- Uniform tension without sagging
- Flex must be removable and replaceable

9. General Structural Enhancements

9.1. Steel Structure

- All steel members to be **hot-dip galvanized** (minimum 80 microns)
- Welding to be continuous and treated with zinc-rich primer
- Epoxy or PU top coating recommended for coastal areas

9.2. Wind Load Protection

- Rear diagonal cross bracing mandatory
- Rounded frame corners to reduce stress concentration
- Rubber padding between frame and flex
- Optional rear GI backing sheet in wind-heavy locations

9.3. Foundation & Footings

- Concrete grade: Mentioned
- Minimum footing depth: Mentioned (soil dependent)
- Galvanized anchor bolts preferred
- Drainage / weep holes at base to prevent water accumulation

10. Recommended Installation Zones

- Urban areas
- Town centers
- Medium wind exposure locations
- Highways
- Coastal belts
- Open and high-wind regions

11. Flex Protection & Longevity Enhancements

- UV protective lamination for colour life extension
- Rubber gaskets at frame contact points
- Rounded frame edges to prevent tearing
- Bottom gap for water drainage
- Standardized eyelet grid across all hoardings

12. Maintenance & Replacement Guidelines

- Flex must be replaceable without cutting the frame
- Standard fixing system across all locations
- Annual inspection recommended
- Torn or faded flex to be replaced section-wise
- Structural bolts and anchors to be inspected annually

13. Inspection & Acceptance Criteria

Before Installation

- GSM verification
- Sample print approval
- Colour proof sign-off

After Installation

- Alignment and tension check
- Eyelet and edge inspection
- Structural stability confirmation

14. Standard Tender / Tec Clause

“The supplied flex material and printing process shall be suitable for continuous outdoor exposure under Sri Lankan climatic conditions. Colour durability and material integrity shall be guaranteed for a minimum period of 24 months. Any premature fading, tearing, or failure shall be rectified by the supplier at no additional cost.”

4. BILL OF QUANTITIES

CEYLON PETROLEUM CORPORATION

JOB: FABRICATION , TRANSPORT & INSTALLATION OF HORDING BOARDS IN CPC
OUTLETS ISLANDWIDE

B.O.Q. No. 2026/HORDING /10

Item	Description	Qty.	Unit	Rate	Amount
	<p><u>Instructions to Tenderers.</u></p> <p><i>Note :-</i></p> <p>a. This work includes Shop drawings to should be done by the contractor to the art work provided by CPC and the approval should be obtained from the CPC prior to fabrication.</p> <p>b. The rate shall include for transport, scaffolding etc for each location required for the work In addition to this BOQ.</p> <p>c. Supplier should provide manufactures specifications together with a guarantee for a period of 10 years .</p> <p>d. Contractor should furnish previous experience on this type of job with necessary details for the consideration in evaluation with the tender. A list of construction during last 12 months also to be submitted.</p> <p>e. The sample will be checked by the CPC officers/Engineer and the required amendments to be done accordingly (free of charge) by the contractor.</p> <p>1.0 Supply , fabrication , Transport and install of hoarding board of size 3000mmx6000mm using steel hollow box sections 25mmx25mmx2.3mm around to frame with two horizontal supports fix at equal interval and vertical supports of hollow box sections 25mmx25mmx2.3mm of every 1.0m centers and fix to 02 Nos 126mmx76mm 13(kg/m)universal columns as per detail drawing . Hording surface to be covered with high quality printed flex . Rate shall include for 2/ 8 Nos 25mm anchor bolts , 2/12mm base plate , Excavation , back filling , concreting , reinforcement and formwork etc. As per deatil sketch No CEYPET /SK/0023, Rate shall include for 02 nos. 100 w flood light with necessary fixing and wiring to the filling station building.</p>				
	<p><u>Western province</u></p> <p>1.1 Ebert Silva auto Engineering (PVT)Ltd - Dehiwala</p> <p>1.2 Q & R Entepriises - Moratuwa</p> <p>1.3 Sri Jayawardanapura MPCs Ltd - Ethul kotte</p> <p>1.4 Niroshana Enterpriises(PVT)Ltd - Colombo 07</p>	1.00	No		
		1.00	No		
		1.00	No		
		1.00	No		

4. BILL OF QUANTITIES

CEYLON PETROLEUM CORPORATION

**JOB: FABRICATION , TRANSPORT & INSTALLATION OF HORDING BOARDS IN CPC
OUTLETS ISLANDWIDE**

B.O.Q. No. 2026/HORDING /10

Item	Description	Qty.	Unit	Rate	Amount
1.5	Mayadunne services station - Mountlavinia	1.00	No		
1.6	Negombo MPCs Ltd - Negombo Thelwatta junction	1.00	No		
1.7	Welfare Association SL Air Force - Negombo Copra junction	1.00	No		
1.8	Gampaha MPCs Ltd - Gampaha	1.00	No		
1.9	N S N Enterprises - Peliyagoda Negombo road	1.00	No		
1.10	Jaala MPCs Ltd - Ja-Ela	1.00	No		
1.11	Beruwala MPCs Ltd - Aluthgama	1.00	No		
1.12	Panadura MPCs Ltd - Wadduwa	1.00	No		
1.13	Mathigama MPCs Ltd - Mathugama	1.00	No		
	<u>Sabaragamuwa</u>				
1.14	Kegalle MPCs Ltd - Ranwela Kegalle	1.00	No		
1.15	Yatyanthota MPCs Ltd - Yatyanthota	1.00	No		
1.16	K K A R Kumarasinghe & Sons - Dehiowita	1.00	No		
1.17	Warakapola MPCs Ltd - Warakapola	1.00	No		
1.18	Mrs A L G Gonakumbura - Rathnapura	1.00	No		
1.19	N P G Appusingho & Sons - Rathnapura	1.00	No		
1.20	Kolonnakorale MPCs Ltd - Embilipitiya	1.00	No		
1.21	Eheliyagoda MPCs Ltd - Parakaduwa	1.00	No		
1.22	Imbulpe MPCs Ltd -Balangoda	1.00	No		
1.23	Panil pattu MPCs Ltd - Kahawatta	1.00	No		

4. BILL OF QUANTITIES

CEYLON PETROLEUM CORPORATION

**JOB: FABRICATION , TRANSPORT & INSTALLATION OF HORDING BOARDS IN CPC
OUTLETS ISLANDWIDE**

B.O.Q. No. 2026/HORDING /10

Item	Description	Qty.	Unit	Rate	Amount
	<u>Central</u>				
1.24	U B Abesundara - Kadugannawa	1.00	No		
1.25	Mahanuwara MPCs Ltd - Kandy	1.00	No		
1.26	Hanguranketha MPCs Ltd - Hanguranketha	1.00	No		
1.27	Theldeniya MPCs Ltd - Karaliyadde	1.00	No		
1.28	Maskeliya MPCs Ltd - Maskeliya	1.00	No		
1.29	A Ranathunga & Sons - Wattegama	1.00	No		
1.30	Naula MPCs Ltd - Naula	1.00	No		
1.31	A & J Developers and consultant (Pvt) Ltd - Matale	1.00	No		
1.32	P L C Alwis Enterprises - Kandy	1.00	No		
1.33	D D Kasthuriarachchi & Sons - Nuwara Eliya	1.00	No		
	<u>Noth Central Province</u>				
1.34	S & J Fuel Distributers - Hingurakgoda	1.00	No		
1.35	PolonnaruwaMPCs LTD - Polonnaruwa Kaduruwela	1.00	No		
1.36	Galnewa MPCs LTD - Galnewa	1.00	No		
1.37	C P Abdulla & Sons - Madawachchiya	1.00	No		
1.38	Kavinda Dissanayake - Thambuttegama	1.00	No		
1.39	P D E Senaviratna - Habarana	1.00	No		
	<u>South Province</u>				
1.40	Habaraduwa MPCs Ltd - Ahangama	1.00	No		
1.41	Harischandra mills Ltd - Matara	1.00	No		
1.42	Bamunusinghe & Co (Pvt)Ltd -+ Dickwella	1.00	No		
1.43	Manuka Filling station - Neluwa	1.00	No		

4. BILL OF QUANTITIES

CEYLON PETROLEUM CORPORATION

JOB: FABRICATION , TRANSPORT & INSTALLATION OF HORDING BOARDS IN CPC
OUTLETS ISLANDWIDE

B.O.Q. No. 2026/HORDING /10

Item	Description	Qty.	Unit	Rate	Amount
1.44	Romico Group (PVT)Ltd - Ahungalle	1.00	No		
1.45	Abeywickrama A J -Baddegama-Nayapamula	1.00	No		
1.46	Hettiarachchi S P L - Pitabaddara	1.00	No		
1.47	Senaka W A - Angunakolapalassa-Aluthwewa	1.00	No		
1.48	V K Metals (Pvt) Ltd - Hambantota-Arabokka	1.00	No		
1.49	Weeraketiya MPCs LTD - Middeniya	1.00	No		
1.50	Raveen Ganitha A G G - Sooriyawewa	1.00	No		
1.51	Beliatta MPCs LTD - Beliatta	1.00	No		
	<u>North West Province</u>				
1.52	A M M Nijam & Sons - Ibbagamuwa	1.00	No		
1.53	Kuliyapitiya Division MPCs LTD - Kuliyapitiya	1.00	No		
1.54	Nattandiya Nawa MPSC LTD -Marawila	1.00	No		
1.55	Sisira Trading Company (PVT) LTD - Narammala	1.00	No		
1.56	Abuthahir Alhaj M F - Puttalam	1.00	No		
1.57	Ridigama MPCs LTD - Ridigama	1.00	No		
1.58	Wennappuwa MPCs LTD - Wennappuwa	1.00	No		
	<u>East Province</u>				
1.59	PT Arason & Sons - Batticaloa	1.00	No		

4. BILL OF QUANTITIES

CEYLON PETROLEUM CORPORATION

JOB: FABRICATION , TRANSPORT & INSTALLATION OF HORDING BOARDS IN CPC
OUTLETS ISLANDWIDE

B.O.Q. No. 2026/HORDING /10

Item	Description	Qty.	Unit	Rate	Amount
1.60	Eravur North & West MPCS - Chenkaladi	1.00	No		
1.61	P M K Rahuman - Kalmunai	1.00	No		
1.62	Hinniappuhami & Sons - Akkaraipattu	1.00	No		
	<u>Uva Province</u>				
1.63	Badulla MPCS LTD - Badulla	1.00	No		
1.64	Premaratne H M - Haldummulla	1.00	No		
1.65	Bandarawela MPCS LTD - Bandarawela	1.00	No		
1.66	Mahiyangane MPCS LTD - Mahiyangana	1.00	No		
1.67	Bibilae Kotagama MPCS LTD - Bibile	1.00	No		
1.68	Moneragala Kandukara MPCS LTD - Monaragala	1.00	No		
1.69	Tissamaharama MPCS LTD - Kataragama	1.00	No		
	<u>North Province</u>				
1.70	Karachchi South MPCS LTD	1.00	No		
1.71	Jaffna Municipality MPCS LTD - Jaffna	1.00	No		
1.72	Rajan Umayal (Pvt) LTD - Jaffna	1.00	No		
1.73	P Varatharajasingham - Jaffna	1.00	No		

4. BILL OF QUANTITIES

CEYLON PETROLEUM CORPORATION

JOB: FABRICATION , TRANSPORT & INSTALLATION OF HORDING BOARDS IN CPC OUTLETS ISLANDWIDE

B.O.Q. No. 2026/HORDING /10

Item	Description	Qty.	Unit	Rate	Amount
2.0	Supply , fabrication , Transport and install of hoarding board of size 3000mm x 9000mm using steel hollow box sections 25mmx25mmx2.3mm around to frame with two horizontal supports fix at equal interval and vertical supports of hollow box sections 25mmx25mmx2.3mm of every 1.0m centers and fix to 03 Nos 126mmx76mm 13(kg/m) universal columns as per detail drawing. Hording surfaces to be covered with high quality printed flex. Rate shall include for 2/ 8 No's 25mm anchor bolts , 2/12mm base plate , Excavation , back filling , concreting , reinforcement and formwork etc. As per detail sketch No CEYPET /SK/0023, Rate shall include for 03 nos. 100 w flood light with necessary fixing arrangement and wiring to the filling station building. <u>Western province</u>				
2.1	City oil (PVT) LTD - Colombo 09	1.00	No		
2.2	M.I.M Sheriff & Sons - Peliyagoda	1.00	No		
2.3	Eheliyagoda Associates - Colombo - Danister de sil	1.00	No		
2.4	Moratuwa MPCS LTD - Moratuwa	1.00	No		
2.5	R.N.D.A Senavirathna- Colombo -4	1.00	No		
2.6	C.F.De Mel & Sons (Pvt) LTD - Colombo -02	1.00	No		
2.7	B.D.S G.Service Station (Pvt) Ltd - Colombo -13	1.00	No		
2.8	Lumbini Enterprises - Malabe	1.00	No		
2.9	MS. Siripura Lanka Piravumhala - Padukka - Meepe junction	1.00	No		
2.10	Highway Enterprises - Maharagama	1.00	No		
2.11	K D P Arasakularatne & Sons - Avissawella	1.00	No		
2.12	Wickramasiri Enterprises (Pvt) Ltd - Nugegoda	1.00	No		
	<u>North Central Province</u>				
2.13	Sri Lanka Air Force Service Institu - Anuradhapura	1.00	No		
2.14	WG Francis Appuhamy Samuha Viyapara - Mihintale	1.00	No		

4. BILL OF QUANTITIES

CEYLON PETROLEUM CORPORATION

JOB: FABRICATION , TRANSPORT & INSTALLATION OF HORDING BOARDS IN CPC OUTLETS ISLANDWIDE

B.O.Q. No. 2026/HORDING /10

Item	Description	Qty.	Unit	Rate	Amount
2.15	H G P Gamini - Polonnaruwa	1.00	No		
2.16	R S B Fernando Lanka Service ST -Anuradhapura	1.00	No		
	<u>North West Province</u>				
2.17	Anamaduwa MPCs - Anamaduwa	1.00	No		
2.18	Nawa Panduwasnuwara MPCs LTD - Hettipola	1.00	No		
2.19	Kurunegala MPCs Ltd - Kurunagala	1.00	No		
2.20	Nikeweratiya MPCs Ltd - Nikeweratiya	1.00	No		
2.21	Katugampola MPCs - Pannala	1.00	No		
	<u>East Province</u>				
2.22	Pothuvil MPCs Ltd - Pothuvil	1.00	No		
2.23	LP Lanka Filling Station - Kaluwanchikuddy	1.00	No		
2.24	D.T Hendawitharana - Trincomalee	1.00	No		
2.25	Kanthale MPCs Ltd - Kanthale	1.00	No		
2.26	Ampara MPCs - Ampara	1.00	No		
2.27	K.A.H.S Perera - Dehiathakandiya	1.00	No		
2.28	Mantai South MPCs Ltd - Mannar	1.00	No		
2.29	Manthai West MPCs Ltd - Mannar	1.00	No		
2.30	United Fuel Mart (pvt) Ltd - A-9,road, - kilinochchi	1.00	No		
	TOTAL AMOUNT			Rs	
	LESS DISCOUNT			Rs	
	SUB TOTAL			Rs	
	ADD SSCL(2.5%)			Rs	
	SUB TOTAL			Rs	
	ADD VAT(18%)			Rs	
	TOTAL AMOUNT WITH TAXES			Rs	

Total amount in words :-.....

Name of Tenderer :-

VAT Registration No :-

Tel/Email :

.....
Signature of Bidder

.....
Date

Form of Bid

To: The Chairman
Procurement Committee,
Ceylon Petroleum Corporation,
1st Floor,
No. 609, Dr. Danister De Silva Mawatha,
Colombo 09.
SRI LANKA.

From:

.....

.....

Sir,

A-1 Having familiarized ourselves with the formal request for Instruction to Bidders and Conditions of contract, Technical Specification for “Fabrication, Transport & Installation of Hording Boards in CPC Outlets Islandwide”, we offer to complete the whole of said services in conformity with the said document.

A-2 Unless and until a formal agreement is prepared and executed this Bid together with your written acceptance thereof shall constitute a binding contract with us.

A-3 We understand you are not bound to accept the lowest or any Bid you may receive.

A-4 The Bid we are offering is complete and fulfils the requirements discussed in the Technical specifications of the Bidding Document.

A-5 We agree to abide by this Bid for the period of **Ninety One (91) days** from the date of opening of the same Bid. Conditions and prices quoted shall remain

binding upon us and may be accepted at any time before the expiration of the period.

A-6 We agree to be bound by the Bid, Bid Conditions, Technical specifications and Performance security.

A-7 We offer the lump sum fixed price of (foreign cost in figures)inwords).....
..... and Sri Lanka Rupees (local cost in figures) (in words)..... for
“Fabrication, Transport & Installation of Hording Boards in CPC Outlets Islandwide” detailed out in this Bidding Document and details of the lump sum price is as given in the schedule of prices. We agree that it is open to the Procurement Committee to reject this offer or to accept.

Dated this day of2026.

Signature.....in the capacity of
.....duly authorized to sign Bids for and on behalf of :

Name

Address
.....
.....

Witnesses:

1. Signature
Name :
Address :
.....
.....

2. Signature :
Name :
Address :
.....
.....

Format for Bid Security Guarantee

[This Bank Guarantee form shall be filled in accordance with the instructions indicated in brackets]

.....[insert issuing agency's name and address of issuing branch or office].....

Beneficiary : [insert (by PE) name and address of Employer/ Purchaser]

Date : [insert (by issuing agency) date]

BID GUARANTEE NO. :[insert (by issuing agency) number]

We have been informed that[insert (by issuing agency) name of the Bidder; if a joint venture, list complete legal names of partners] (hereinafter called "the Bidder") has submitted to you its bid dated[insert (by issuing agency) date] (hereinafter called "the Bid") for execution/ supply [select appropriately) of [insert name of Contract] under Invitation for Bids No. [insert IFB number] ("the IFB")

Furthermore, we understand that, according to your conditions, Bids must be supported by a Bid Guarantee.

At the request of the Bidder, we[insert name of issuing agency] hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of[insert amount in figures][insert amount in words] upon receipt by us of your first demand in writing accompanied by a written statement stating that the Bidder is in breach of its obligation(s) under the bid conditions, because the Bidder.

- (a) has withdrawn its Bid during the period of bid validity specified; or
- (b) does not accept the correction of errors in accordance with the Instructions to Bidders (hereinafter "the ITB") of the IFB; or
- (c) having been notified of the acceptance of its Bid by the Employer/ Purchaser during the period of bid validity, (i) fails or refuses to execute the Contract Form, if required, or (ii) fails or refuses to furnish the Performance Guarantee, in accordance with the ITB.

This Guarantee shall expire: (a) if the Bidder is the successful bidder, upon our receipt of copies of the Contract signed by the Bidder and of the Performance Guarantee issued to you by the Bidder; or (b) if the Bidder is not the successful bidder, upon the earlier of (i) our receipt of a copy of your notification to the Bidder that the Bidder was unsuccessful, otherwise it will remain in force up to[insert date]

Consequently, any demand for payment under this Guarantee must be received by us at the office on or before that date

[signature(s) of authorized representative(s)]

Form of Agreement

This Agreement made this _____ day of _____ 2026, by and between CPC established by an Act of Parliament namely Act No. 28 of 1961 & having its registered Office at No. 609, Dr. Danister De Silva Mwt., Colombo 09 in the Government of the Democratic Socialist Republic of Sri Lanka (hereinafter called and referred to as the "CPC" which terms of expression as herein used shall where this context so requires and admits mean & include the CPC & its Successors & assigns) of the one part and _____ of _____ a Company duly incorporated & having its registered Office at _____ (hereinafter called the "Agent" which terms of expression as herein used shall where this context so requires and admits mean & include the _____ & its successors & assigns) of the other part.

Whereas the CPC is desirous that the Goods known as the "Fabrication, Transport & Installation of Hording Boards in CPC Outlets Islandwide" should be supplied by the Contractor, and has accepted a Bids by the Contractor for the supply of such equipment, and the remedying of any defects therein.

The CPC and the Agent agree, as follows: -

In the Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract and Agent's scope of work hereinafter referred to.

The following documents shall be deemed to form and be read and construed as a part of this Agreement.

- Letter of Acceptance dated _____.
- The Technical Specifications
- The Bid dated _____.
- The Conditions of Contract
- The Completed Schedules and
- The Agent's Proposal

In consideration of the payments to be made by the CPC to the Agent as hereinafter mentioned, the Agent hereby covenants with the CPC to

supply and remedy any defects therein, fit for purpose in conformity in all respect according to the provisions of the Contract.

The CPC hereby covenants to pay the Agent in consideration of the Supply and the remedying of defects therein, the agreed Price or such other sum as may become payable under the provisions of the Agreement the times and in the manner prescribed by the Agreement.

In Witness whereof the parties have hereunto caused this Agreement to be executed the day, month & year afore written.

Authorized Signature of the Chairman of CPC		Authorized Signature of the Contractor	
In the presence of		In the presence of	
Name		Name	
Signature		Signature	
Address		Address	

FORMAT FOR PERFORMANCE GUARANTEE

.....[issuing Agency's Name and Address of issuing Branch or Office].....

Beneficiary :[Name and Address of Employer].....

Date :

PERFORMANCE GUARANTEE NO :

We have been informed that[name of Contractor/ Supplier] (hereinafter called "the Contractor") has entered into Contract No.[reference number of the contract] datedwith you, for the [insert " construction"/ "Supply"] of[name of contract and brief description of Works] (hereinafter called "the Contract")


Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required.

At the request of the Contractor, we [name of Agency] hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of[amount in figures] (.....) [amount in words], such sum being payable in the types and proportions of currencies in which the Contract Price is payable, upon receipt by us of your first demand in writing accompanied by a written statement stating that the Contractor is in breach of its obligation(s) under the Contract, without your needing to prove or to show grounds for your demand or the sum specified therein.


This guarantee shall expire, no later than theday of, 2026 [insert date, 28 days beyond the scheduled contract completion date] and any demand for payment under it must be received by us at this office on or before that date.

This guarantee shall be governed by the laws of Sri Lanka and shall be subject to the Uniform Rules for Demand Guarantees, published as number 758 by the International Chamber of Commerce, except as stated above.

.....
[Signature(s)]



ELEVATION



SECTION X-X

PLAN

DETAIL OF FOOTING

REV.	DESCRIPTION	DATE	BY

CENTRE PERFORMANCE CORPORATION	
111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200	
PROJECT: LAKSA BUILDING REPAIR	
DRAWN BY: [Name]	
CHECKED BY: [Name]	
DATE: [Date]	
SCALE: [Scale]	
SHEET NO: [Sheet No]	
TOTAL SHEETS: [Total Sheets]	
APPROVED BY: [Signature]	