



ලංකා බහිෂ් තෙල් නීතිගත සංස්ථාව
இலங்கை பெற்றோலியக் கூட்டுத்தாபனம்
CEYLON PETROLEUM CORPORATION

15TH MAY 2026

AMENDMENT NOTICE – 01 (PROCUREMENT DOCUMENT REF: BK/37/2026)

RE: BID FOR THE SUPPLY OF A CARGO OF 300,000 BBLs +/-5% OF GASOLINE (92 UNL) ON DAP COLOMBO BASIS (INCOTERMS 2010) FOR DUAL BERTH DISCHARGE AT DOLPHIN TANKER BERTH AND SPM MUTHURAJAWELA, COLOMBO DURING LAYCAN 26-27/06/2026 – PROCUREMENT DOCUMENT REF : BK/37/2026

THIS IS WITH REFERENCE TO THE ABOVE PROCUREMENT DOCUMENT REF: BK/37/2026 DATED 08/05/2026

PLEASE NOTE THAT THE FOLLOWING AMENDMENTS ARE MADE TO THE ABOVE PROCUREMENT DOCUMENT REF: **BK/37/2026** AS FOLLOWS;

AMENDMENT NO - 01

PLEASE NOTE THAT THE DELIVERY LAYCAN OF PROCUREMENT DOCUMENT IS BE AMENDED AS **03-04/07/2026** INSTEAD OF 26-27/06/2026 WHEREVER APPEARED IN THE PROCUREMENT DOCUMENT REF: **BK/37/2026**.

AMENDMENT NO – 02

THE CLAUSE **1.2. ISSUE OF BIDDING DOCUMENT** IS AMENDED AND REPLACED TO READ AS FOLLOWS;

1.2. ISSUE OF PROCUREMENT DOCUMENT

LOCAL AGENTS OF THE REGISTERED SUPPLIERS COULD OBTAIN PROCUREMENT DOCUMENT FROM THE COMMERCIAL MANAGER BETWEEN 0900 HRS. AND 1500 HRS. (SRI LANKA TIME) ON ANY WORKING DAY UP TO **25TH MAY 2026**.

OR

REGISTERED SUPPLIERS COULD DOWNLOAD THE RELEVANT BID DOCUMENT FROM THE CEYPETCO WEB SITE: <https://ceypetco.gov.lk/>

Page 1 of 2



AMENDMENT NO – 03

THE SUB CLAUSE NO. **2.26.11**. UNDER THE CLAUSE NO **2.26. SUBMISSION OF BIDS** IS AMENDED AND REPLACED TO READ AS FOLLOWS;

2.26.11.THE ENVELOPE SEALED AS ABOVE AND ADDRESSED TO THE CHAIRMAN, STANDING HIGH LEVEL PROCUREMENT COMMITTEE (SHLPC), COMMERCIAL FUNCTION BID OPENING ROOM, 4TH FLOOR, CEYLON PETROLEUM CORPORATION, NO. 609, DR. DANISTER DE SILVA MAWATHA, COLOMBO 09, SRI LANKA SHOULD BE DEPOSITED IN THE TENDER BOX KEPT AT THE AFORESAID ADDRESS BEFORE **1200 HRS, SRI LANKA TIME ON 26TH MAY 2026**.

AMENDMENT NO - 04

THE FOLLOWING CLAUSE **2.27. VALIDITY OF THE OFFER** IS AMENDED AND REPLACED TO READ AS FOLLOWS;

2.27. VALIDITY OF THE OFFER


OFFERS CLOSE AT **1200 HRS, SRI LANKA TIME ON 26TH MAY 2026** AND SHOULD BE HELD VALID FOR **FORTY EIGHT (48) HRS THEREFROM**.

AMENDMENT NO. 05

THE '**FORM OF BID**' (**ANNEX – 'L'**) OF THE PROCUREMENT DOCUMENT IS AMENDED AND REPLACED AS ATTACHED HEREWITH.

ALL OTHER TERMS AND CONDITIONS ARE SAME AS STIPULATED IN THE PROCUREMENT DOCUMENT REF: BK/37/2026 DATED 08TH MAY 2026. THIS AMENDMENT NOTICE SHALL FORM AN INTEGRAL PART OF THE PROCUREMENT DOCUMENT.

REGARDS,


COMMERCIAL MANAGER 15/05/2025

FORM OF BID

The Chairman,
 Standing High Level Procurement Committee,
 04th Floor, Commercial Function Bid Opening Room,
 Ceylon Petroleum Corporation,
 No. 609,
 Dr. Danister De Silva Mawatha,
 Colombo 09,
 Sri Lanka.

Dear Sir,

BIDDING FOR THE SUPPLY OF A CARGO OF GASOLINE (92 UNL) FOR DUAL BERTH DISCHARGE AT DOLPHIN TANKER BERTH, COLOMBO AND SPM MUTHURAJAWELA, DURING LAYCAN 03-04/07/2026

(PROCUREMENT DOCUMENT REF: BK/37/2026)

I/We the undersigned read and fully acquainted myself / ourselves with the contents of the Conditions of the terms and Contract and all other Conditions pertaining to the above Bid do hereby undertake to supply the Petroleum Product with the specifications and quantity as specified in the procurement document.

A. PRODUCT / PRICE

Product	Total Contractual cargo quantities	Compliance	Price Base	Premium / Discount on (USD per Bbl)		
				FOB basis	DAP Colombo basis	
					Payment in 30 days LC after the first day of the two day delivery laycan	Payment prior to the date of quantity drawn (100% Ex-Storage)
		Option - 1	Option - 2			
Gasoline (92 Unl)	300,000 Bbls+/-5%	Comply / Not Comply	FOB Singapore Price (MOPS) of Gasoline (92 Unl) (PGAHEY00)			
Name of the Agent, representative or nominee for or on behalf of any tenderer and Local Agency Commission (USD) (if any)						

ew

B. TERMS & CONDITIONS

BID DOCUMENT CLAUSE REFERENCE	COMPLIANCE
1.1 Two day delivery laycan	Comply / Not Comply
1.8. Bid Security (Annex – 'A')	Comply / Not Comply
2.2. Contractual cargo quantity (Annex – 'B')	Comply / Not Comply
2.3. Delivery	Comply / Not Comply
Delivery Laycan 03-04/07/2026	Comply / Not Comply
2.4 Important	Comply / Not Comply
2.5. Third party cargo	Comply / Not Comply
2.6. Quality (Compliance to each parameter and notes in Annex – 'C' is mandatory)	Comply / Not Comply
2.7. Source of supply	Comply / Not Comply
2.8. Mode of loading / port of loading	Comply / Not Comply
2.9.1. Inspection at Load port	Comply / Not Comply
2.9.2. Inspection at Discharge port	Comply / Not Comply
2.10. Recovery of Damages or losses for CEYPETCO due to unacceptable quality	Comply / Not Comply
2.11. Out-turn loss	Comply / Not Comply
2.12. Price / Payment	Comply / Not Comply
2.12.1 Payment in thirty (30) days LC after the first date of the two day delivery laycan Option -1	Comply / Not Comply
2.12.1.1. DAP Colombo price for Gasoline (92 unl) calculation method under Option -1	Comply / Not Comply
2.12.2 Payment Prior to the date of Quantity Drawn (100% Ex-Storage Modality) – Option - 2	Comply / Not Comply
2.12.2.1 DAP Colombo price for Gasoline (92 unl) calculation method under Option -2	Comply / Not Comply
2.12.2.3. Invoicing for Payment	Comply / Not Comply
2.13. PCA3 form, agent, representative or nominee for or on behalf of any tenderer & local agency commission	Comply / Not Comply
2.14. Title and Risk	Comply / Not Comply
2.15. Performance Security Guarantee (Annex – 'D')	Comply / Not Comply
2.16. Claims, disputes and recovery of damages or losses for CEYPETCO by late delivery and delivery of lesser quantity than agreed	Comply / Not Comply
2.17. Acceptance of the bid	Comply / Not Comply
2.18.1 Laytime for discharge at Dolphin Tanker Berth, Colombo	Comply / Not Comply
2.18.2. Laytime for discharge at SPM Muthurajawela, Colombo	Comply / Not Comply
2.18.3. Laytime for dual berth discharge at Dolphin Tanker Berth, Colombo & SPM Muthurajawela, Colombo	Comply / Not Comply
2.19. Notice of arrival at Colombo	Comply / Not Comply

2.20.1. Requirements of tankers for discharging of product via Dolphin Tanker Berth, Colombo	Comply / Not Comply
2.20.2. Requirements of tankers for discharging of product via SPM Muthurajawela, Colombo	Comply / Not Comply
2.21. Line flushing at Dolphin Tanker Berth, Colombo	Comply / Not Comply
2.22. Line flushing at SPM Muthurajawela Tanker Berth, Colombo	Comply / Not Comply
2.23. Demurrage	Comply / Not Comply
2.24. Force Majeure	Comply / Not Comply
2.25. Other requirements	Comply / Not Comply
2.26. Submission of Bids	Comply / Not Comply
2.26.1.1. & 2.26.1.2. Submission of ANNEX – ‘E’ & ANNEX - ‘E-1’	Comply / Not Comply
2.26.1.4. submission of a Board resolution authorizing the person who signs the bid or a documented decision of the partners in a partnership as the case may be	Comply / Not Comply
2.26.8. Proper authority to the officer who signs the bids (authorized officer) from the respective bidder or the principal for signing all documents related to the bid	Comply / Not Comply
2.27. Validity of the offer	Comply / Not Comply
2.28. Agreement (Annex – G)	Comply / Not Comply
Amendment Notice (s) (if any)	Comply / Not Comply

- I/We confirm that the bid shall remain open for acceptance as mentioned above under validity of bid and that it will not be withdrawn or revoked prior to that date.
- I/We attach hereto the following documents as part of my/our Bid (If any);
- I/We understand that you are not bound to accept the lowest or any other Bid and that you reserve the right to reject any or all Bids or to accept a Bid in full or in part without assigning any reasons therefore.
- I/We undertake to deliver the quantity of Petroleum product referred to above.

Yours Faithfully,

Signature of the authorized person :

Name of the authorized person :

Official seal of the Bidder :

Name of the Bidder :

Address :

Telephone No. :

Fax No. :

E-mail :

Date :

SPECIFICATIONS FOR GASOLINE (92 UNL)

PROPERTY/TEST	TEST METHOD	SPECIFICATIONS	COMPLIANCE
APPEARANCE		BRIGHT, CLEAR AND FREE FROM WATER, VISIBLE IMPURITIES & DYES (NOTE 1)	Comply / Not comply
DENSITY @ 15 °C kg/m ³	ASTM D 1298 / ASTM D 4052	720 – 785	Comply / Not comply
REID VAPOUR PRESSURE @ 37.8 °C kPa	ASTM D 323	45 – 60	Comply / Not comply
RESEARCH OCTANE NUMBER (RON)	ASTM D 2699	MIN. 92	Comply / Not comply
MOTOR OCTANE NUMBER (MON)	ASTM D 2700	MIN. 82	Comply / Not comply
DISTILLATION	ASTM D 86		Comply / Not comply
IBP °C		REPORT	Comply / Not comply
T 10 °C		45 – 70	Comply / Not comply
T 50 °C		80 – 125	Comply / Not comply
T 90 °C		MAX. 180	Comply / Not comply
FBP °C		MAX. 210	Comply / Not comply
RESIDUE, vol. %		MAX. 2.0	Comply / Not comply
E150 vol. %		MIN 70	Comply / Not comply
DOCTOR TEST OR MERCAPTAN SULPHUR, mg/kg	IP 30 /ASTM D 4952 ASTM D 3227/ IP 342	SWEET OR MAX 15 ppm RSH	Comply / Not comply
SULPHUR CONTENT mg/kg	ASTM D 4294 / ASTM D 5453 / ASTM D 2622	MAX. 150	Comply / Not comply
LEAD CONTENT g/l	ASTM D 5059 / ASTM D 3237	MAX. 0.013 (NOTE 2)	Comply / Not comply
UNWASHED GUMS mg/100 ml	ASTM D 381	MAX. 30	Comply / Not comply
WASHED GUMS mg/100 ml	ASTM D 381	MAX. 5	Comply / Not comply
OXYGENATE % v/v	ASTM D 4815	MAX. 15	Comply / Not comply
OXYGEN CONTENT % m/m	ASTM D 4815	MAX. 2.7	Comply / Not comply
OXIDATION STABILITY, Minutes	ASTM D 525	MIN. 480	Comply / Not comply
COPPER CORROSION 3 h @ 50 °C	ASTM D 130	MAX. 1	Comply / Not comply
BENZENE % v/v	ASTM D 3606 / ASTM D 5580	MAX. 2.5	Comply / Not comply
TOTAL AROMATICS % v/v	ASTM D 5580	MAX 40	Comply / Not comply
OLEFINES CONTENT (%v/v)	ASTM D 1319/ ASTM D 6730	MAX. 18	Comply / Not comply

NOTE 1 : SPECIFY TAGGING COMPONENTS, IF ANY	Comply / Not comply
NOTE 2 : NO INTENTIONAL ADDITION OF LEAD COMPOUNDS	Comply / Not comply
IMPORTANT:	
• THERE SHALL BE NO INTENTIONAL ADDITION OF METAL COMPOUNDS CONTAINING FERROUS, MANGANESE & PHOSPHOROUS.	Comply / Not comply
• ADDITION OF ALCOHOLS ARE NOT PERMITTED.	Comply / Not comply