



ලංකා බන්ධන නෙල් භීතිගත සංස්ථාව  
இலங்கை பெற்றோலியக் கூட்டுத்தாபனம்  
CEYLON PETROLEUM CORPORATION

01<sup>ST</sup> JUNE 2026

**AMENDMENT NOTICE – 01 (PROCUREMENT DOCUMENT REF: BK/42/2026)**

**RE: BID FOR THE SUPPLY OF A COMBINED CARGO OF 257,500 BBLs +/-5% OF GASOLINE (92 UNL) AND 42,500 BBLs +/-5% OF GASOLINE (95 UNL) ON DAP COLOMBO BASIS (INCOTERMS 2010) FOR DUAL BERTH DISCHARGE AT DOLPHIN TANKER BERTH AND SPM MUTHURAJAWELA, COLOMBO DURING LAYCAN 05-06/08/2026 – PROCUREMENT DOCUMENT REF : BK/42/2026**

THIS IS WITH REFERENCE TO THE ABOVE PROCUREMENT DOCUMENT REF: BK/42/2026 DATED 19/06/2026.

PLEASE NOTE THAT THE FOLLOWING AMENDMENTS ARE MADE TO THE ABOVE PROCUREMENT DOCUMENT REF: BK/42/2026 AS FOLLOWS;

**AMENDMENT NO - 01**

PLEASE NOTE THAT THE SUB CLAUSE NO.1 OF CLAUSE NO. "2.20.1 REQUIREMENTS OF TANKERS FOR DISCHARGING OF PRODUCT VIA DOLPHIN TANKER BERTH, COLOMBO" IS AMENDED AND REPLACED TO READ AS FOLLOWS;

VESSEL NOMINATED

1. SHOULD MEET FOLLOWING COLOMBO PORT RESTRICTION:

TYPE OF HULL	- DOUBLE HULL
SDWT	- 60,000 MT MAX.
LOA	- 210 METERS MAX.
BEAM	- 32.2 METERS MAX.
DRAFT	- 11.8 METERS MAX.
DISTANCE FROM SEA LEVEL TO CENTRE MANIFOLD	- 14 METERS MAX.
MANIFOLD SIZE	- 6" DIAMETER
MANIFOLD TYPE	- ANSI 150 CLASS
ARRIVAL MANIFOLD HEIGHT FROM SEA LEVEL	- 11.5 METERS MAX.

**AMENDMENT NO – 02**

PLEASE NOTE THAT THE SUB CLAUSE NO.1 OF CLAUSE NO. "2.20.2 REQUIREMENTS OF TANKERS FOR DISCHARGING OF PRODUCT VIA SPM MUTHURAJAWELA, COLOMBO" IS AMENDED AND REPLACED TO READ AS FOLLOWS;

Page 1 of 2



VESSEL NOMINATED

1.SHOULD MEET FOLLOWING RESTRICTIONS AT SPM MUTHURAJAWELA, COLOMBO (DUAL PATH BUOY)


TYPE OF HULL	- DOUBLE HULL
<b>SDWT</b>	<b>- 60,000 MT MAX.</b>
LOA	- 228 METERS MAX.
BEAM (MOULDED)	- 34.9 METERS MAX.
DEPTH (MOULDED)	- 18.2 METERS MAX.
DRAFT 100% LOADED	- 12.5 METERS MAX.
DRAFT 20% LOADED	- 4.6 METERS MIN.
MANIFOLD SIZE/TYPE	- 12" DIAMETER/ANSI 150 CLASS

**AMENDMENT NO. 03**

THE 'FORM OF BID' (ANNEX – 'E') OF THE PROCUREMENT DOCUMENT IS AMENDED AND REPLACED AS ATTACHED HEREWITH.

ALL OTHER TERMS AND CONDITIONS ARE SAME AS STIPULATED IN THE PROCUREMENT DOCUMENT REF: BK/42/2026 DATED 19<sup>TH</sup> JUNE 2026. THIS AMENDMENT NOTICE SHALL FORM AN INTEGRAL PART OF THE PROCUREMENT DOCUMENT.

REGARDS,

  
COMMERCIAL MANAGER

01/07/2026

## FORM OF BID

The Chairman, Standing High Level Procurement Committee,  
Commercial Function Bid Opening Room, 4th Floor  
Ceylon Petroleum Corporation, No. 609,  
Dr. Danister De Silva Mawatha,  
Colombo 09, Sri Lanka.  
Dear Sir,

**BIDDING FOR THE SUPPLY OF A CARGO OF GASOLINE (92 UNL) AND GASOLINE (95 UNL) FOR DUAL BERTH DISCHARGE AT DOLPHIN TANKER BERTH, COLOMBO AND SPM MUTHURAJAWELA, DURING LAYCAN 05-06/08/2026**

**(PROCUREMENT DOCUMENT REF: BK/42/2026)**

I/We the undersigned read and fully acquainted myself / ourselves with the contents of the Conditions of the terms and Contract and all other Conditions pertaining to the above Bid do hereby undertake to supply the Petroleum Product with the specifications and quantity as specified in the Procurement Document.

**A. PRODUCT / PRICE**

Product	Total Contractual cargo quantities	Compliance	Price Base	Premium / Discount on (USD per Bbl.)		
				FOB basis	DAP Colombo basis	
					Payment in 30 days LC after the first day of the two-day delivery laycan through Bank of Ceylon	Payment in 30 days LC after the first day of the two-day delivery laycan through Sampath Bank
				Option - 1	Option - 2	Option - 3
Gasoline (92 Unl)	257,500 Bbls +/- 5%	Comply / Not Comply	FOB Singapore Price (MOPS) of Gasoline (92 Unl) (PGAEO0)			
Gasoline (95 Unl)	42,500 Bbls +/- 5%	Comply / Not Comply	FOB Singapore Price (MOPS) of Gasoline (95 Unl) (PGAEO0)			
Agent, representative or nominee for or on behalf of any tenderer and Local Agency Commission (USD) (if any)						

**B. TERMS & CONDITIONS**

PROCUREMENT DOCUMENT CLAUSE REFERENCE	COMPLIANCE
Two day delivery laycan – 05-06/08/2026	Comply / Not Comply
1.8.Bid Security (Annex – 'A')	Comply / Not Comply
2.2.Contractual cargo quantity (Annex – 'B')	Comply / Not Comply
2.3. Delivery	Comply / Not Comply
Delivery Laycan 05-06/08/2026	Comply / Not Comply
2.4 Important	Comply / Not Comply
2.5.Third party cargo	Comply / Not Comply
2.6.Quality (Compliance to each paramcter and notes in Annex – 'C-1' & 'C-2' are mandatory)	Comply / Not Comply
2.7. Source of supply	Comply / Not Comply
2.8. Mode of loading / port of loading	Comply / Not Comply
2.9.1. Inspection at Load port	Comply / Not Comply
2.9.2. Inspection at Discharge port	Comply / Not Comply
2.10. Recovery of damages or losses for CEYPETCO due to unacceptable quality	Comply / Not Comply
2.11. Out-turn loss	Comply / Not Comply
2.12. Price / Payment	Comply / Not Comply
2.12.1. Payment in thirty (30) days LC after the first date of the two day delivery laycan through Bank of Ceylon – Option -1	Comply / Not Comply
2.12.1.1. DAP Colombo price for Gasoline (92 unl) calculation method under Option -1	Comply / Not Comply
2.12.1.2 DAP Colombo price for Gasoline (95 unl) calculation method under Option -1	Comply / Not Comply

2.12.2. Payment in thirty (30) days LC after the first date of the two day delivery laycan through Sampath Bank – Option -2	Comply / Not Comply
2.12.2.1. DAP Colombo price for Gasoline (92 unl) calculation method under Option -2	Comply / Not Comply
2.12.2.2. DAP Colombo price for Gasoline (95 unl) calculation method under Option -2	Comply / Not Comply
2.12.3 Payment Prior to the date of Quantity Drawn (100% Ex-Storage Modality) – Option -3	Comply / Not Comply
2.12.3.1 DAP Colombo price for Gasoline (92 unl) calculation method under Option -3	Comply / Not Comply
2.12.3.2 DAP Colombo price for Gasoline (95 unl) calculation method under Option -3	Comply / Not Comply
2.12.3.3. Invoicing for Payment	Comply / Not Comply
2.13. PCA3 form, agent, representative or nominee for or on behalf of any tenderer & local agency commission	Comply / Not Comply
2.14. Title and Risk	Comply / Not Comply
2.15. Performance Security Guarantee (Annex – ‘D’)	Comply / Not Comply
2.16. Claims, disputes and recovery of damages or losses for CEYPETCO by late delivery and delivery of lesser quantity than agreed	Comply / Not Comply
2.17. Acceptance of the Bid	Comply / Not Comply
2.18.1 Laytime for discharge at Dolphin Tanker Berth, Colombo	Comply / Not Comply
2.18.2. Laytime for discharge at SPM Muthurajawela, Colombo	Comply / Not Comply
2.18.3. Laytime for dual berth discharge at Dolphin Tanker Berth, Colombo & SPM Muthurajawela, Colombo	Comply / Not Comply
2.19. Notice of arrival at Colombo	Comply / Not Comply
2.20.1. Requirements of tankers for discharging of product via Dolphin Tanker Berth, Colombo	Comply / Not Comply
2.20.2. Requirements of tankers for discharging of product via SPM Muthurajawela, Colombo	Comply / Not Comply

2.21.Line flushing at Dolphin Tanker Berth, Colombo	Comply / Not Comply
2.22.Line flushing at SPM Muthurajawela Tanker Berth, Colombo	Comply / Not Comply
2.23.Demurrage	Comply / Not Comply
2.24.Force Majeure	Comply / Not Comply
2.25.Other requirements	Comply / Not Comply
2.26 Submission of Bids	Comply / Not Comply
2.26.1.1. & 2.26.1.2. Submission of ANNEX – ‘E’ & ANNEX - ‘E-1’ & E-2	Comply / Not Comply
2.26.1.4. submission of a Board resolution authorizing the person who signs the bid or a documented decision of the partners in a partnership as the case may be	Comply / Not Comply
2.27. Validity of the offer	Comply / Not Comply
2.28. Agreement (Annex – G )	Comply / Not Comply
Amendment Notice (s) (if any)	Comply / Not Comply

- I/We confirm that the bid shall remain open for acceptance as mentioned above under validity of bid and that it will not be withdrawn or revoked prior to that date.
- I/We attach hereto the following documents as part of my/our Bid (If any);
- I/We understand that you are not bound to accept the lowest or any other Bid and that you reserve the right to reject any or all Bids or to accept a Bid in full or in part without assigning any reasons, therefore.
- I/We undertake to deliver the quantity of Petroleum products referred to above.

Yours Faithfully,

Name of the Authorized person for signature : .....

Authorized signature & the official seal of the Bidder : .....

Name of the Bidder : .....

Address : .....

Telephone No. : .....

Fax No. : .....

E-mail : .....

Date : .....

## SPECIFICATIONS FOR GASOLINE (92 UNL)

PROPERTY/TEST	TEST METHOD	SPECIFICATIONS	COMPLIANCE
APPEARANCE		BRIGHT, CLEAR AND FREE FROM WATER, VISIBLE IMPURITIES & DYES ( NOTE 1)	Comply / Not comply
DENSITY @ 15 °C kg/m <sup>3</sup>	ASTM D 1298 / ASTM D 4052	720 – 785	Comply / Not comply
REID VAPOUR PRESSURE @ 37.8 °C kPa	ASTM D 323	45 – 60	Comply / Not comply
RESEARCH OCTANE NUMBER (RON)	ASTM D 2699	MIN. 92	Comply / Not comply
MOTOR OCTANE NUMBER (MON)	ASTM D 2700	MIN. 82	Comply / Not comply
DISTILLATION	ASTM D 86		Comply / Not comply
IBP °C		REPORT	Comply / Not comply
T 10 °C		45 – 70	Comply / Not comply
T 50 °C		80 – 125	Comply / Not comply
T 90 °C		MAX. 180	Comply / Not comply
FBP °C		MAX. 210	Comply / Not comply
RESIDUE, vol. %		MAX. 2.0	Comply / Not comply
E150 vol. %		MIN 70	Comply / Not comply
DOCTOR TEST OR MERCAPTAN SULPHUR, mg/kg	IP 30 /ASTM D 4952 ASTM D 3221/ IP 342	SWEET OR MAX 15 ppm RSH	Comply / Not comply
SULPHUR CONTENT mg/kg	ASTM D 4294 / ASTM D 5453 / ASTM D 2622	MAX. 150	Comply / Not comply
LEAD CONTENT g/l	ASTM D 5059 / ASTM D 3237	MAX. 0.013 (NOTE 2)	Comply / Not comply
UNWASHED GUMS mg/100 ml	ASTM D 381	MAX. 30	Comply / Not comply
WASHED GUMS mg/100 ml	ASTM D 381	MAX. 5	Comply / Not comply
OXYGENATE % v/v	ASTM D 4815	MAX. 15	Comply / Not comply
OXYGEN CONTENT % m/m	ASTM D 4815	MAX. 2.7	Comply / Not comply
OXIDATION STABILITY, Minutes	ASTM D 525	MIN. 480	Comply / Not comply
COPPER CORROSION 3 h @ 50 °C	ASTM D 130	MAX. 1	Comply / Not comply
BENZENE % v/v	ASTM D 3606 / ASTM D 5580	MAX. 2.5	Comply / Not comply
TOTAL AROMATICS % v/v	ASTM D 5580	MAX 40	Comply / Not comply
OLEFINES CONTENT (%v/v)	ASTM D 1319/ ASTM D 6730	MAX. 18	Comply / Not comply

NOTE 1 : SPECIFY TAGGING COMPONENTS, IF ANY	Comply / Not comply
NOTE 2 : NO INTENTIONAL ADDITION OF LEAD COMPOUNDS	Comply / Not comply
<b>IMPORTANT:</b>	
• THERE SHALL BE NO INTENTIONAL ADDITION OF METAL COMPOUNDS CONTAINING FERROUS, MANGANESE & PHOSPHOROUS.	Comply / Not comply
• ADDITION OF ALCOHOLS ARE NOT PERMITTED.	Comply / Not comply

## SPECIFICATIONS FOR GASOLINE (95 UNL)

PROPERTY/TEST	TEST METHOD	SPECIFICATIONS	COMPLIANCE
APPEARANCE		BRIGHT ,CLEAR AND FREE FROM WATER, VISIBLE IMPURITIES & DYES (NOTE 1)	Comply / Not comply
DENSITY @ 15 °C Kg/m <sup>3</sup>	ASTM D 1298 / ASTM D 4052	720 – 775	Comply / Not comply
REID VAPOUR PRESSURE @ 37.8 °C kPa	ASTMD 323	45-60	Comply / Not comply
RESEARCH OCTANE NUMBER (RON)	ASTM D 2699	MIN. 95	Comply / Not comply
MOTOR OCTANE NUMBER (MON)	ASTM D 2700	MIN. 85	Comply / Not comply
DISTILLATION	ASTM D 86		Comply / Not comply
IBP °C		REPORT	Comply / Not comply
E100, Vol %		46-71	Comply / Not comply
E150, Vol %		MIN. 75	Comply / Not comply
FBP, °C		MAX. 210	Comply / Not comply
RESIDUE, vol. %		MAX. 2.0	Comply / Not comply
DUODOR TEST OR MERCAPTAN SULPHUR, mg/kg	IP 30 / ASTM D 4952 ASTM D 3227/IP 342	SWEET OR MAX 15 ppm RSH	Comply / Not comply
SULPHUR CONTENT, mg/kg	ASTM D 2622 / ASTM D 5453	MAX. 50	Comply / Not comply
LEAD CONTENT, g/l	ASTM D 5059 / ASTM D 3237	MAX. 0.005 (NOTE 2)	Comply / Not comply
TOTAL AROMATICS, % v/v	ASTM D 5580	MAX 35	Comply / Not comply
WASHED GUMS, mg/100 ml	ASTM D 381	MAX. 5	Comply / Not comply
OXYGENATE, % v/v	ASTM D 4815	MAX. 15	Comply / Not comply
OXYGEN CONTENT, % m/m	ASTM D 4815	MAX 2.7	Comply / Not comply
OXIDATION STABILITY, Minutes	ASTM D 525	MIN. 360	Comply / Not comply
COPPER CORROSION 3 hrs @ 50 °C	ASTM D 130	MAX. 1	Comply / Not comply
BENZENE, % v/v	ASTM D 3606 / ASTM D 5580	MAX. 1	Comply / Not comply
OLEFINS CONTENT, % v/v	ASTM D 1319 / ASTM D 6730	MAX. 18	Comply / Not comply

NOTE 1 : SPECIFY TAGGING COMPONENTS, IF ANY	Comply / Not comply
NOTE 2 : NO INTENTIONAL ADDITION OF LEAD COMPOUNDS	Comply / Not comply
<b>IMPORTANT:</b>	
• THERE SHALL BE NO INTENTIONAL ADDITION OF METAL COMPOUNDS CONTAINING FERROUS, MANGANESE & PHOSPHOROUS.	Comply / Not comply
• ADDITION OF ALCOHOLS ARE NOT PERMITTED.	Comply / Not comply